Contact No.:-9852821567



Chhinnamasta Rural Municipality गाउँ कार्यपालिकाको कार्यालय

Office Of The Rugal Municipal Executive

विश्वमस्ताः सप्तरी Chainmamasta, Saptari मधिशा प्रदेश, मैपूर्ल Madheshन्मक्णांnçe Nepal

क्याटलग खरिद विधिबाट सवारीसाधेंने खरिद[ा]सम्बन्धी सिलबन्दी प्रस्ताव आहानको सूचना

प्रथम पटक प्रकाशित मिति २०८१/०२/१७

यस कार्यालयको आ.व.२०८०/८१ को स्वीकृत बार्षिक कार्यक्रम अनुसार चार पाङग्रे हलुका सवारीसाधन खरिद गर्ने सम्बन्धमा सार्वजनिक खरिद ऐन २०६३ (पहिलो संसोधन २०७३) को दफा ८ को उपदफा १क (८) तथा सार्वजनिक खरिद नियमावली २०६४ (चौथो संसोधन) को नियम ३१ (ख) बमोजिम त्यस्तो सवारी साधन उत्पादक कम्पनि वा सो को आधिकारिक बिकेताहरू बिच प्रतिस्पर्धा गराउने (क्याटलग सिपेड़) विधिबाट खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ (ख) को उपनियम २ अनुसार देहाय बमोजिम सवारी साधनको उत्पादकको आधिकारिक स्पेशिफिकेशन गुणस्तर र कम्पनीको आधिकारिक स्पेशिफिकेशन गुणस्तर र कम्पनीको आधिकारिक स्पेशिफिकेशन गुणस्तर र कम्पनीको अधिकारिक मुल्य खुल्ने कागजात (क्याटलग वा ब्रोसर) संलग्न राखि तिपसलमा उल्लेख भए बमोजिम शिलबन्दी प्राविधिक र आर्थिक प्रस्ताव दर्ता गराउन हुन सम्बन्धीत उत्पादक वा आधिकारिक बिकेताको जानकारी लागि यो सूचना प्रकाशित गरिएको छ । देहाय

- १ सिलबन्दी प्रस्ताव सम्बन्धी कागजात यस कार्यालयबाट निशुल्क प्राप्त गर्न सिकनेछ ।
- २ उक्त प्रस्ताव लिनका लागि इच्छुक इजाजत प्राप्त उत्पादक कम्पनि वा त्यसको आधिकारिक विकेताहरूले आफ्नो फर्म/ कम्पनी दर्ता प्यान/ भ्याट दर्ता एजेन्सी दर्ता प्रमाणपत्र Letter of Authorization र आ.व. २०७९/८० को कर चुक्ता प्रमाण पत्रको प्रमाणीत प्रतिलिपीहरू तथा फर्म/ कम्पनीको अनुरोध पत्र सहित सूचना प्रकाशित भएको मितिले १५(पन्ध्रौ) दिनसम्म कार्यालय समय भित्र उपस्थित हुनपर्नेछ।
- ३ यो सूचना प्रथम पटक प्रकाशित भएको १५(पन्ध्रौ) मिति २०८१/०२/३१ गते १२:०० बजेभित्र कार्यालयमा सिलबन्दी प्रस्ताव दर्ता गराई सक्नुपर्नेछ र दर्ता भएको सिलबन्दी प्रस्ताव सोही दिन १३:०० बजे खोलिनेछ ।
- ४. साथै सूचिकृत नभएका उत्पादक वा अधिकृत विकेता कम्पनीहरुले सूचिकृत गराई उल्लेखित सिलबन्दी प्रस्ताव पेश गर्न सिकने व्यहोरा समेत जानकारी गराइन्छ ।
- ५. सवारीसाधनको विस्तृत स्पेसिफिकेसन यस कार्यालयको :-www.chhinnamastamun.gov.np प्राप्त गर्न सिकनेछ ।

| क | ठेक्का नं. | सवारी | सवारीसाधनको संक्षिप्त विवरण | | सं | कैंफियत |
|----|---------------|---|--|---|------|---|
| .स | | साधन | | | ख्या | |
| | | को नाम | | | | |
| 9 | 9/2050 | 4 (Four) | General | Engine | ٩ | संक्षिप्त विवरणमा |
| | ्र० ८१ | Wheel er Doubl e Cab Pickup | Double Cab Pickup Right Hand Drive Model With Four Wheel drive suitable for driving both in ON-ROAD condition giving smooth economic performance and in OFF-ROAD conditions capable of delivering strong adequate traction and maneuverability/stability needed for safe driving in rough sandy or slippery and hilly road conditions in Nepal at an altitude up to 2000 meter and in ambient temperature between – 5°c to 50°c. The total seating capacity of double cap pickup should be at least 5 persons including driver. Gross Vehicle Weight of the Vehicle not less than 3100kgs. | Water cooled diesel Engine displacement(2100-2300cc) developing rated Power Output not less than 140hp and Torque not less than 320 N-m at governed RPM (engine shall be fully equipped with all necessary items/accessories)For efficient fully load operation of double cab pickup at operating conditions, shall be equipped with cold starting device, direct electric stating system, heavy duty fuel filter. | | उल्लेख नभएका कुराहरु स्वीकृत Technical Specification बमोजिम हुनेछ |

92

9

Technical Specification of 4WD Double Cab Pick-up

| QUANTITY: | 1 (ONE) | Technical Specification of the E | |
|-----------|-------------------------|--|---------------------------------------|
| S.N. | Criteria | Discription | Offered Specification |
| 1. | General | Death Picking Light Hand Drive Model with four wheel drive, suitable for driving both in ON-ROAD condition giving smooth economic performance and in OFF-ROAD conditions capable of delivering strong adequate traction and maneuverability/stability needed for safe driving in rough, sandy or slippery and hilly road conditions in Nepal at an altitude up to 2000 meter and in ambient temperature between -5°C to 50°C. The total seating capacity of double cab pickup should be at least 5 persons including driver. Gross Vehicle Weight of the vehicle not less than 3100 kgs. | make: model: country of origin: |
| 2. | Engine | ➤ Water cooled diesel Engine, displacement(2100-2300 cc) developing rated Power Output not less than 140hp and Torque not less than 320 N-m at governed RPM (engine shall be fully equipped with all necessary items/accessories) for efficient fully load operation of double cab pickup at operating conditions, shall be equipped with cold starting device, direct electric starting system, heavy duty fuel filter. | |
| 3. | Emission Standard | The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by Nepal Vehicle Mass Emission Standard which is to be certified by Department of Transport Management | |
| 4. | Gauges | Fitted with all the gauges, indicators, signals as necessary for efficient operation, functional monitoring, vehicle performance and maintenance that includes (but not limited to)Battery charge indicator, water temperature, fuel, oil pressure, etc. with all standard items of offered model vehicle | |
| 5. | Clutch | > Dry, Single Plate. | in the second |
| 6. | Transmission | Manual shift, at least Six Forward and one reverse, all forward synchromesh, floor mounted, 4WD engaged through control at driver. | |
| 7. | FUEL AND PERFORMANCE | ➤ Fuel Type:Diesel ➤ Fuel Tank Capacity:Not Less Than 70 Litres ➤ Speed:Not Exceeding 165 Km/H | |
| 8. | COMPORT AND CONVENIENCE | Power Steering.Power Window Front,Power Window Rear,Air Conditioner,Heater,Height Adjustable Driver Seat,Electric Adjustable Seat Front,Accessory Power Outlet,Rear Reading Lamp,Rear Seat Head Rest,Adjustable Head Rest,Rear Ac Vent,Seat Lumbar Support,Front And Rear Parking Sensor,Front Usb Charger,Automatic Head Lamp | |
| 9. | Ground Clearance | Minimum 200 mm. Higher ground clearance preferred | |
| | Cargo Box Dimension | ▶ Length: atleast 1460mm ▶ Breadth: atleast 1450mm ▶ Height: at least 500mm | |
| 10. | Suspension | Suitable for toughest terrain, smooth ride, stable Handling and comfortable driving conditions. Front: In depending torsion bar or coil spring and stabilizer. Rear: Leaf springs and shock absorbers | |
| 11. | Turning radius | Not more than 6.7 Meters | |
| 12. | Tyres | Standard Size | |
| 13. | Steering | Power assisted/Power Steering | |
| 14. | Brakes | Front Disc type, rear drum type, hydraulic operated on all wheels, and parking brake | |
| 15. | Cab | 4 doors, all metallic cab with insulated roof, right hand drive, laminated glass windscreen wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and passenger, two sun visors, and two side view mirrors and rear view mirror. Rear | |

DE

QUANTITY: 1 (ONE)

Fechnical Specification of 4WD Double Cab Pick-up

| uu/ | ANTITY: | 1 (UNE) | 1 5 5 E | - π π | |
|-----|---------|------------------------|-------------|---|----|
| | | | HOW AND AND | by to be metallic, pickup type with drop type tail board. | |
| | l6. | Chasis and Frame | यातायार्क र | Bleel, heavy duty high rigidily frame structure suitable for rough road conditions with hook at | |
| | | | | front | |
| | 17. | Essential Accessories | 1. | llead light, tail and light, reversing light and turn signals. | |
| | | ~ | 2. | Cabin lights. | |
| | | | 3. | Speedometer/ odometer. | |
| | | | 4. | lleavy duty front bumper. | |
| | | | 5. | Spare wheel with tyre and tube | |
| | | | 6. | Jack with handle | |
| | | | 7. | Alloy Wheels | |
| | | | 8. | Front seat belt for driver and co-passenger | |
| | | | 9. | Front dual airbags system | |
| | | | 10. | Remote key less entry system | |
| | | | 11. | Fully Automatic Temperature Control | |
| | | | 12. | Power Windows | |
| | | | 13. | Central Door Locking System | 20 |
| | | | 14. | Steering mounted audio control buttons. | |
| | | | 15. | Touch screen infotainment system (Manufacturer Fitted) Equipped with all | |
| | | | | accessories offered in standard model but not limited to the above items. | |
| - | 10 | la Laboratoria | > | All signs and instructions, in the vehicle shall be in English | |
| - | 18. | Instructions Manuals | > | One copy of the Operator's and Owner's Manual in English shall be supplied with each vehicle | |
| - | 20. | Tools | > | A set of tools, as required for general maintenance shall be supplied with each unit. | |
| - | 21. | Сојонг | 4 | Standard | |
| | 22. | Proven Performance | > | The bidder shall provide the manufacturer's data of the performance of the unit to include | |
| 1 | 22. | 1 to ton 1 Grior mance | ĺ | performance curve of the engine. | |
| | 23. | Warranty | > | Manufacturer shall provide a minimum of one year warranty after acceptance. | |
| | 24. | Delivery | > | The One Unit Shall Be Delivered To:Chhinnamasta rural-Municipality sakhada,Saptari. | |
| 1 | - 1 | | | | |

NOTE-The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.



Specification Prepare By

Name :- Indra Narayan Pandit

Designation: Asst. Mechanical Engineer

Level:-officer sixth

Office:- Transport Management Office Rajbiraj Saptari.

Date :- 2081/02/03(BS)

Signature :-